

Serial No. 10/790,571

CLAIMS

What is claimed is:

1. (Previously Presented) An apparatus for transferring torque magnetically comprising:
 - a primary torque driving rotary member and a secondary driven rotary member;
 - the primary rotary member axially overlapping said secondary rotary member;
 - the secondary rotary member being surrounded by said primary member;
 - the primary rotary member having permanent magnets mounted on it;
 - the secondary rotary member having electro-conductive elements and magnetically permeable materials neither of which are ferromagnetic, and not having permanent magnets;
 - said secondary rotary member axially overlapped by said primary rotating member
 - wherein a means for varying said primary rotary member's axial position relative to said secondary rotating member is provided; and
 - said primary rotating member being connected to and driven by a torque producing device
 - and said secondary rotating member being connected to a torque utilizing device whereby
 - rotation of the primary rotary member causes rotation of said secondary rotating member
 - by some or all of the magnetic flux lines emanating from said permanent magnets
 - mounted on said primary rotating member cutting through the electro-conductive material
 - on said secondary rotary member thereby generating torque and rotation in said secondary
 - rotary member in relation to the percentage of the total area that said secondary rotary
 - member is axially overlapped by said primary rotary member.
2. (Canceled)

Serial No. 10/790,571

3. (Canceled)

4. (Canceled)

5. (Canceled)

6. (Canceled)

7. (Canceled)

8. (Canceled)

9. (Canceled)

10. (Canceled)

11. (Canceled)

12. (Canceled)

13. (Canceled)

14. (Canceled)

15. (Canceled)

16. (Previously Presented) An apparatus for transferring torque magnetically comprising:

a primary torque driving rotary member and a secondary driven rotary member;

the primary rotary member axially overlapping said secondary rotary member;

the secondary rotary member being surrounded by said primary member;

the primary rotary member having electro-conductive elements and magnetically permeable materials neither of which are ferromagnetic, and not having permanent magnets;

the secondary rotary member having permanent magnets mounted on it;

Serial No. 10/790,571

said secondary rotary member axially overlapped by said primary rotating member wherein a means for varying said primary rotary member's axial position relative to said secondary rotating member can be varied; and said primary rotating member being connected to and driven by a torque producing device and said secondary rotating member being connected to a torque utilizing device whereby rotation of the primary rotary member causes rotation of said secondary rotating member by some or all of the magnetic flux lines emanating from said permanent magnets mounted on said primary rotating member cutting through the electro-conductive material on said secondary rotary member thereby generating torque and rotation in said secondary rotary member in relation to the percentage of the total area that said secondary rotary member is axially overlapped by said primary rotary member.

17. (Canceled)

18. (Canceled)

19. (Canceled)

20. (Canceled)

21. (Canceled)

22. (Canceled)

23. (Canceled)

24. (Canceled)

25. (Canceled)

26. (Canceled)

27. (Canceled)

Serial No. 10/790,571

28. (Canceled)

29. (Canceled)

30. (Canceled)

31. (Canceled)

32. (Canceled)